

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (original): A golf ball comprising a core and a cover formed of a cover resin composition, characterized in that said core has a hardness corresponding to a compressive deflection amount of at least 3.5 mm when the load applied thereto is increased from an initial load of 10 kgf to a final load of 130 kgf, said cover resin composition has a melt flow rate of at least 3 as measured according to JIS K7210, and said cover has a gage of up to 1.7 mm.

2. (original): The golf ball of claim 1, wherein said core has a hardness at its center of 28 to 40 in Shore D hardness and a hardness at its surface of 35 to 52 in Shore D hardness, and the difference in hardness between the core surface and the core center is 3 to 20.

3. (original): The golf ball of claim 1, wherein said cover resin composition comprises as a resin component at least one component selected from the group consisting of olefin-unsaturated carboxylic acid copolymers, olefin-unsaturated carboxylic acid-unsaturated carboxylic acid ester copolymers, and metal ion-neutralized products of these copolymers.

4. (original): The golf ball of claim 1, wherein said cover resin composition has organic short fibers dispersed and incorporated therein.

5. (original): The golf ball of claim 1, wherein said cover resin composition comprises (a) at least one component selected from the group consisting of olefin-unsaturated carboxylic acid copolymers, olefin-unsaturated carboxylic acid-unsaturated carboxylic acid ester copolymers, and metal ion-neutralized products of these copolymers and (b) a binary copolymer consisting of polyolefin and polyamide components in admixture as a resin component.

6. (currently amended): The golf ball of ~~claim 4~~ claim 5, wherein the polyamide in component (b) is in fiber form.

7. (currently amended): The golf ball of ~~claim 4~~ claim 5, wherein a weight ratio of (a)/(b) is between 100/0.1 and 100/50.

8. (currently amended): The golf ball of ~~claim 4~~ claim 5, wherein in component (b), a weight ratio of polyolefin/polyamide components is between 25/75 and 95/5.

PRELIMINARY AMENDMENT  
USSN: 10/823,799

Q81063

**AMENDMENTS TO THE DRAWINGS**

Fig. 1

Attachment: Replacement Sheet